EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	19	(process$3 NEAR5 (array OR element)) NEAR20 (dynamic $4 NEAR10 (cluster$3 OR partition$3 OR group$3)) AND @pd>="20080116"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 12:13
L2	22	(dynamic$4 NEAR20 (cluster $3 OR partition$3 OR group $3)) AND ((TLP OR thread level parallelism) NEAR15 (ILP OR Instruction level parallelism)) AND @pd>="20080116"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 12:15
L3	0	SIMD NEAR10 MIMD NEAR10 switch AND @pd>="20080116"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 12:15
L4	25	(mutually transverse) AND @pd>="20080116"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 12:16
L5	0	(mutually transverse) NEAR5 (network OR cluster) AND @pd>="20080116"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 12:16
L6	69	(dynamic$4 NEAR10 (cluster $3) NEAR10 network) AND @pd>="20080116"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 12:16
L7	73	(dynamic$4 NEAR20 (cluster $3 OR partition$3 OR group $3)) AND (interconnection NEAR2 network) AND @pd>="20080116"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 12:17

L8	1	array NEAR5 multicast$3 NEAR5 network AND @pd>="20080116"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 12:19
L9	1	(array NEAR10 (cluster$3 OR partition$3 OR group $3)) NEAR10 (chain NEAR3 (processor OR element OR node)) AND @pd>="20080116"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 12:19
L10	5	synchroniz$5 NEAR5 MIMD AND @pd>="20080116"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 12:20
L11	0	"712".clas. AND (mesh) NEAR10 scalable AND @pd>="20080116"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 12:20
L12	467	712/11.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 12:21
L13	15	("4559618" | "5109333" | "5182808" | "5353416" | "5440715" | "5548773" | "5687329" | "5754865" | "5787200" | "5831997" | "5933614" | "6127849" | "6240485" | "6629190" | "6847346").PN. OR ("7185175").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/24 12:48
L14	183	712/13.ccls.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/24 12:53
L15	630	712/220.ccls.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/24 13:06
L16	3	"20050154858"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 13:11

S1	52	(process$3 NEAR5 (array OR element)) NEAR20 (dynamic $4 NEAR10 (cluster$3 OR partition$3 OR group$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 15:54
S2	30	(dynamic$4 NEAR20 (cluster $3 OR partition$3 OR group $3)) AND ((TLP OR thread level parallelism) NEAR15 (ILP OR Instruction level parallelism))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:27
S3	69	SIMD NEAR10 MIMD NEAR10 switch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 16:06
S4	1170	(mutually transverse)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 16:45
S5	2	(mutually transverse) NEAR5 (network OR cluster)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 16:46
S6	34	"5404461"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 16:51
S7	261	(dynamic$4 NEAR10 (cluster $3) NEAR10 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 16:52
S8	0	(dynamic$4 NEAR10 (cluster $3) NEAR10 network) NEAR10 transverse	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 16:53
S9	7	(dynamic$4 NEAR10 (cluster $3) NEAR10 network NEAR10 interconnection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 16:53

S10	4	(interprocessor NEAR5 communication) AND (L shape$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:08
S11	385	(dynamic$4 NEAR20 (cluster $3 OR partition$3 OR group $3)) AND (interconnection NEAR2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 16:59
S12	82	(dynamic$4 NEAR10 (cluster $3 OR partition$3 OR group $3)) NEAR10 (process$3 OR node OR element) AND (interconnection NEAR2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:00
S13	16	"712".clas. AND (L shape$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:17
S14	67	"4985832"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:25
S15	6	array NEAR5 multicast$3 NEAR5 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:26
S16	30	(array NEAR10 (cluster$3 OR partition$3 OR group $3)) NEAR10 (direct$2 connect$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:29
S17	287	(array NEAR10 (cluster$3 OR partition$3 OR group $3)) NEAR10 (chain)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:29
S18	4	(array NEAR10 (cluster$3 OR partition$3 OR group $3)) NEAR10 (chain NEAR3 (processor OR element OR node))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:42

S19	12	"1,311,994"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:42
S20	12	"1311994"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:46
S21	258	(Dynamic NEAR5 processor NEAR5 associat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:47
S22	6	(Dynamic NEAR5 processor NEAR5 associat$3 NEAR20 array)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:49
S23	1	(interconnection network NEAR5 transvers$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:49
S24	1050	(network NEAR5 transvers $2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:49
S25	14	(network NEAR5 transvers$2 NEAR15 array)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:51
S26	77	(array NEAR5 (process$3 OR network$3)) NEAR15 ("and" gates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:54
S27	0	((programmable OR configurable) interconnection network) NEAR8 ("and" gate) NEAR8 (control)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:56

S28	106	NEWS NEAR5 interconnect NEAR5 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:57
S29	0	network NEAR20 (multicast $3) NEAR8 ("and" gate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:57
S30	12	network NEAR20 (multicast $3) NEAR8 (gate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:57
S31	1	(array NEAR4 process$3) NEAR10 multicast	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 18:01
S32	0	(configurable NEAR6 interconnection NEAR6 "and" gate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 18:02
S33	140	(configurable NEAR6 interconnection AND "and" gate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 18:04
S34	15	(sum term OR product term) NEAR15 duplicat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 18:04
S35	19	(PLA OR PAL Or programmable array logic OR programmable logic array) AND (different NEAR2 input) NEAR20 ("same" NEAR2 output)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:32
S36	4	(PLA OR PAL Or programmable array logic OR programmable logic array) AND (different NEAR2 input) NEAR20 (identical NEAR2 output)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:29

S37	299	(PLA OR PAL Or programmable array logic OR programmable logic array) NEAR6 simplifi$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:33
S38	0	(PLA OR PAL Or programmable array logic OR programmable logic array) NEAR6 simplifi$6 NEAR25 (combinational logic OR "and" gate OR "or" gate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:34
S39	4	(PLA OR PAL Or programmable array logic OR programmable logic array) NEAR6 reduc$3 NEAR25 (combinational logic OR "and" gate OR "or" gate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:42
S40	47	(programmable NEAR3 sum NEAR4 terms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:45
S41	0	dynamic NEAR5 array NEAR5 (group$3 OR cluster $3) NEAR5 neighbor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:45
S42	0	dynamic NEAR15 array NEAR15 (group$3 OR cluster $3) NEAR15 neighbor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:47
S43	202	array NEAR4 interconnection NEAR4 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:54
S44	2	(array NEAR2 process$3) NEAR20 dynamic NEAR4 (cluster$3 OR group$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:55
S45	7	(array NEAR2 process$3) NEAR20 dynamic NEAR4 (allocat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:55

S46	245	(array NEAR2 process$3) NEAR20 neighbor$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:56
S47	0	(array NEAR2 process$3) NEAR20 neighbor$3 NEAR20 tap	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:56
S48	0	(array NEAR2 process$3) NEAR20 neighbor$3 NEAR20 multicast$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:56
S49	3	(array NEAR2 process$3) NEAR20 multicast$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:57
S50	59	(array NEAR2 process$3) NEAR20 tap	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:58
S51	84	(array NEAR2 process$3) NEAR20 SIMD NEAR20 MIMD	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 08:12
S52	11	(array NEAR2 process$3) NEAR20 (programmable OR configurable) NEAR3 (group $3 OR cluster$3 OR partition $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 08:13
S53	0	(PAL OR programmable array logic OR PLA OR Programmable logic array) NEAR30 large NEAR15 slow NEAR15 delay NEAR15 redundanc$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 08:24
S54	57	(PAL OR programmable array logic OR PLA OR Programmable logic array) NEAR30 redundanc$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 08:37

S55	23	"4,084,152"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 08:27
S56	1797	(PAL OR programmable array logic OR PLA OR Programmable logic array) NEAR30 delay$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 08:38
S57	0	(PAL OR programmable array logic OR PLA OR Programmable logic array) NEAR30 delay$3 NEAR5 slow NEAR5 big	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 08:38
S58	1	(PAL OR programmable array logic OR PLA OR Programmable logic array) NEAR30 delay$3 NEAR5 slow NEAR5 (big OR size OR large)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 08:38
S59	23	(PAL OR programmable array logic OR PLA OR Programmable logic array) NEAR30 slow NEAR5 (big OR size OR large)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 08:38
S60	0	"07748316"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 09:12
S61	33	"748316"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 09:12
S62	136	("4435758" | "4562535" | "4644496" | "4747043" | "4792894" | "4873626" | "4891787" | "4992933" | "5050065").PN. OR ("5212777").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/01/16 13:05
S63	49	"0033186"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 13:06

S64	2	"200033186"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 13:06
S65	3	"6651713"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 16:07
S66	155	synchroniz$5 NEAR5 MIMD	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 17:47
S67	0	(processor (array OR grid)) NEAR10 (geographic OR distance) NEAR10 bus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 17:48
S68	7	(processor (array OR grid)) NEAR10 (time OR length) NEAR10 bus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 17:57
S69	5	two NEAR2 dimension$2 NEAR2 array NEAR10 (MIMD)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 17:58
S70	0	(mesh grid) NEAR10 (scalable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 09:08
S71	2	(mesh NEAR5 grid) NEAR10 (scalable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 09:08
S72	9241	(grid) NEAR10 (scal$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 09:08

S73	16	"712".clas. AND (grid) NEAR5 (scal$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 09:14
S74	9125	(grid OR mesh) NEAR5 (scal $7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 09:14
S75	3296	(two NEAR2 dimensional$2) NEAR5 (scal$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 09:14
S76	1	(two NEAR2 dimensional$2) NEAR5 (scal$7) NEAR5 bus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 09:15
S77	0	(two NEAR2 dimensional$2) NEAR5 (scal$7) NEAR2 better	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 09:18
S78	2	array NEAR5 (scales better)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 09:18
S79	11595	array NEAR5 (scales)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 09:18
S80	53	array NEAR5 (scales) NEAR10 bus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 09:25
S81	17	array NEAR15 mesh NEAR5 (scal$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 09:30

S82	32	(2d or two dimensional OR two dimension) NEAR15 mesh NEAR5 (scal$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 09:30
S83	6	"6505289"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 10:01
S84	0	(planar mesh) NEAR10 scalable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 10:01
S85	30	"712".clas. AND (mesh) NEAR10 scalable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 10:01
S86	0	SIMD NEA15 VLIW instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 09:20
S87	14	SIMD NEAR15 VLIW instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 09:20

3/ 24/ 2009 1:18:49 PM
C:\ Documents and Settings\ kvicary\ My Documents\ EAST\ Workspaces\ 10541275.wsp